





# BORN TO NURTURE.

MEDLINE**UNITE**<sup>®</sup> Amnion Solutions Intelligently designed to enhance healing at the surgical site

# Powered by nature.

Amnion is designed by nature to nurture cellular life. Its powerful properties, which help foster the growth of the fetus in utero, also make it an ideal material to cover wounds<sup>1-3, 6</sup> and support healthy tissue regeneration.<sup>4-6</sup> We've cultivated these properties in a variety of surgery-ready formats to help enhance wound healing and positive patient outcomes.

## Promote healing with Amnion.

- » Derived from human amniotic tissue, amnion acts as a safe, natural covering for wounds<sup>1-6</sup> helps decrease inflammation,<sup>3</sup> and reduces fibroses, scarring and adhesion at the surgical site.<sup>4</sup>
- » Studies show that amniotic fluid contains important growth factors,<sup>1,2,5</sup> extracellular matrix<sup>2,5</sup> molecules, hyaluronic acid,<sup>1,4,5</sup> fibronectin,<sup>2</sup> laminin,<sup>4</sup> prostaglandins,<sup>3</sup> and cells.<sup>6</sup>
- Available in multiple surgery-ready formats to suit surgeon preference and patient need.
- » Supplements the use of hardware to create a complete surgical solution.

### Liquid or patch? You choose.

#### Ambient Temperature Liquid Amnion

- » Ready to use with no thawing or preparation required.
- » Store at ambient temperature (59-86°F/15-30°C).

#### Cryopreserved Liquid Amnion

- » Flowable for easy application and precise delivery to intended site.
- » Store at -70°C or colder. Thaw only prior to use at room temperature.

#### Ambient Dual-Layer Amnion Patch

- » Hydrates rapidly and readily adheres to wound surface or surgical site.
- » Applies dry with either side up or down.
- » Store at ambient temperature (59-86°F/15-30°C).

For more information or to schedule a case, contact your MEDLINEUNITE Representative or visit medlineunite.com

#### Tissue you can trust.

Meticulously screened and processed according to the highest safety standards.

- Birth tissues are recovered during planned cesarean sections and processed aseptically to preserve its inherent properties.
- Placental donors go through a rigorous prescreening qualification and are tested according to FDA guidelines for infectious disease.
- Tissue is processed in accordance with the standards and guidelines established by the American Association of Tissue Banks (AATB).

Item No.	Description	Size
MALQ1005D	Ambient Liquid	0.5 mL
MALQ1010D		1.0 mL
MALQ1020D		2.0 mL
MALQ2005D	Cryopreserved Liquid	0.5 mL
MALQ2010D		1.0 mL
MALQ2020D		2.0 mL
MA832	Dual-Layer Patch	2 x 3 cm
MA833		4 x 4 cm
MA834		4 x 6 cm
MA835		4 x 8 cm

Additional sizes available.



#### Medline Industries, Inc. Three Lakes Drive, Northfield, IL 60093

FOLLOW US fin y 🛤

Medline United States 1-800-MEDLINE (633-5463) medline.com | info@medline.com Medline Canada 1-800-396-6996 medline.ca | canada@medline.com Medline México

01-800-831-0898 medlinemexico.com | mexico@medline.com

1. Nyman E, Huss F, Nyman T, Junker J, Kratz G. (2013 Apr) Hyaluronic acid. an important factor in the wound healing properties of amniotic fluid: in vitro studies of reepithelialisation in human skin wounds. J Plast Surg Hand Surg 47(2):89-92.2 Adzick NS, Lorenz HP (1994 Jul) Cells, matrix, growth factors, and the surgeon. The biology of scarless fetal wound repair. Annals of Surgery.220(1):10-18.3 Gao X, Devoe LD, Given KS. (1994 Aug) Effects of amniotic fluid on proteases: a possible role of amniotic fluid in fetal wound healing. Annals of Plastic Surgery. 33(2):28-134; discussion 134-135. 4. Biolate F, Koramaz F, Kulahclar Z, Vilmaz A, Topcu A, Ozdernir M, Coiston LM, ME (2015 Deel Investigation of efficacy of mitomycin-C, sodium hyaluronate and human amniotic fluid in preventing epideral fibrosis and adhesion using a rat laminectomy model. Asian Sprine J. 7(4):253-5. 5. Ozgenel GV, Filiz G, Ozcam M, (2004 Jul) Effects of human amniotic fluid on proteases. The protein Hyaluronatam B, Lubec G, Hengstschläger M (2012 Jun) Amniotic Fluid Stem Cells Future Perspectives. Stem Cells Int. 2012: 741810. © 2017 Medline Industries, Inc. All rights reserved. Medline is a registered trademark of Medline Industries, Inc. MK11897463 / LIT917R / 2.5M / AL / 31