

Advanced Orthobiologic Solutions

Intelligently designed to support bone healing.

ACTIVATE YOUR FUSION.

-

A force of nature against non-unions.

Literature shows that non-union rates are notoriously high for hindfoot and ankle fusions due to the physical challenges of those mobile areas: increased mechanical load, restricted blood supply and thin soft tissue coverage.¹ That risk dramatically increases with patient co-morbidities.1

But it doesn't have to be the case. Research shows that orthobiologics, including bone graft and bone graft substitutes, can help improve fusion rates.² Although autograft is ideal, it has many limitations, including donor site morbidity, increased operative time and limited autograft material.³ That's where we step in.

Hindfoot and ankle fusions in healthy patients



Patients with co-morbidities such as diabetes and smoking





Build new life at the site.

Biologically active grafts fused with superior handling characteristics.

To rebuild bone and revitalize tissue, the most viable solutions are full of life. That's the science behind our next-generation portfolio of orthobiologics. They're intelligently designed to nurture recovery through vitality, combining the power of biologically active cells and growth factors with superior handling characteristics. Our solutions stand up to every challenge and fill every void, helping to stimulate new life at the surgical site.

Activate your fusion with Medline UNITE orthobiologics.

factors for better bone regeneration. Our advanced orthobiologics deliver on them all.





Superior Handling Shape

Moldability and irrigation resistance to fill voids and defects of all shapes and sizes

Sources: Cortical Fibers, Synthetic Carriers





Physical scaffold that supports cellular activity and bony ingrowth

Sources: Allograft bone chips, bone fibers, and synthetics/ceramics, such as ß-TCP and HA





Osteoinductive Stimulate

Growth factors such as BMPs that recruit and stimulate a patient's own cells to differentiate into osteoblasts

Sources: BMPs (growth factors) from allograft demineralized bone matrix





Osteogenic Start

Cells that differentiate and develop into osteoblasts which form new bone

Sources: Cells from autograft bone, bone marrow aspirate (BMA), cryopreserved allograft bone cells

Activate the right bone grafting solution for every case.

	Synthetic Bioactive Putty	Demineralized Fiber Putty	Fiber Viable Bone Matrix
Graft texture	ACTIGLASS™	ACTISTIM™	ACTIVI [™]
Osteoconductive	Yes	Yes	Yes
Osteoinductive		Yes	Yes
Osteogenic			Yes
Osteostimulative	Yes		
Source	Bioactive glass, beta tricalcium phosphate, hydroxyapatite	Allograft	Allograft
Clinical applications	Situations where moldability, graft containment and irrigation resistance are the primary consideration (larger bone voids).*	Situations where the use of allograft is desired, but viable cells are not necessary (smaller voids in otherwise healthy patients).*	Situations where viable cells are desired (primary fusions for smokers and diabetics, revisions, and non-unions).*
Storage	Ambient Temp	Ambient Temp	Cryopreserved (-75° C)
Preparation	Ready to use	Ready to use	Thaw only (no mixing or decanting required)

*Based on a survey completed by surgeons.

ACTIVI™ -

ACTIGLASS[™]

ACTI**STIM**™

Open for additional product details. MEDLINE**UNITE** ACTIGLASS[™] Synthetic Bioactive Putty



Bioactive glass kickstarts the healing process with an osteostimulative effect.





Build bone with a pliable synthetic putty that mimics the power of nature.

Surgery-ready and designed to provide a rapid, bioactive response, optimized resorption profile and unparalleled handling characteristics.

Forms an osteoconductive apatite layer as early as **7 days**.

Optimized combination and ratio of biomaterials to support bone healing at all stages

Bioglass facilitates a rapid biological response and stimulates the formation of an osteoconductive apatite layer

Optimized granule structure and porosity mimics human cancellous bone



Controlled resorption profile

with biphasic granules (ß-TCP and HA components)

Highly moldable and waxy

consistency in a rapidly resorbing Alkylene Oxide Polymer carrier

Item No.	Size
Synthetic Bioactive Putty	
MSBG0375	3.75 g
MSBG0750	7.5 g





FULLY HYDRATED

MEDLINEUNITE ACTISTIM[™] Demineralized Fiber Putty and Cortical Fibers

Demineralized cortical fibers increase graft surface area to promote osteoconductivity, powered by the presence of bone morphogenetic proteins (BMP-2).

GROWTH FACTORS





POROUS SCAFFOLD

Actively stimulate bone growth at the source.

100% human allograft fuses ideal biological properties with excellent handling characteristics to help aid in bone healing.



Fiber Putty and Cortical Fiber formats available to accommodate surgeon preference 3D interwoven fiber scaffold offers greater osteoconductive surface area vs. traditional crushed cancellous bone Improved handling and wicking vs. traditional putties and chips

Carrier-free formulation allows for immediate start to the bone healing process

Item No.	Size
Demineralized Fiber Putty	
MDBM1010	1 cc
MDBM1025	2.5 cc
MDBM1050	5 cc
MDBM1100	10 cc
Cortical Fibers	
MDBF1025	2.5 cc
MDBF1050	5 cc
MDBF1100	10 cc



MEDLINE**UNITE** ACTIV Fiber Viable Bone Matrix



Optimized proprietary processing improves osteoinductive and osteogenic potential.





CELLS

FIRER

SCAFFOLD



FACTORS

POROUS SCAFFOLD

Restore vitality with bone-building living cells.

Quality and quantity for unparalleled results. State-of-the-art processing technology is used to preserve a healthier population of 650,000 viable allograft cells per cc, building a solid grafting foundation with a 3D interwoven fiber scaffold.

650,000 viable cells per cc."

Unique processing technology

protects healthy cell population and viability by reducing celldamaging processing steps.*

Greater osteogenic potential and cell proliferation capability vs. traditionally processed cellular bone allografts*

Greater osteoinductive potential and BMP-2/BMP-7 levels vs.

traditional demineralized bone



3D interwoven fiber scaffold

offers greater osteoconductive surface area versus traditional crushed cancellous bone

Improved handling, wicking

and mixing vs. traditional cellular allografts

Item No.	Size	
Fiber Viable Bone Matrix		
MVBG0010	1 cc	
MVBG0020	2 cc	
MVBG0050	5 cc	
MVBG0100	10 cc	



ACTIVI



PARTIALLY HYDRATED



FULLY HYDRATED

*In vitro assays demonstrated greater cellular health. Data on file. ** Including MSCs, osteoprogenitors and osetoblasts.



Grow new possibilities with our complete suite of orthobiologic solutions.

Amnion Solutions

Safe, natural graft options in a variety of form factors for use in various foot and ankle soft tissue procedures.

Item No.	Description	Size
MALQ1005D	Ambient Liquid	0.5 mL
MALQ1010D	Ambient Liquid	1.0 mL
MALQ1020D	Ambient Liquid	2.0 mL
MALQ2005D	Cryopreserved Liquid	0.5 mL
MALQ2010D	Cryopreserved Liquid	1.0 mL
MALQ2020D	Cryopreserved Liquid	2.0 mL
MA832	Dual Layer Patch	2 x 3 cm
MA833	Dual Layer Patch	4 x 4 cm
MA834	Dual Layer Patch	4 x 6 cm
MA835	Dual Layer Patch	4 x 8 cm

DBM Crunch

DBM putty mixed with corticocancellous chips to fill larger defects, osteotomies and fusions sites. Ideal for hindfoot and ankle fusions.

DBM Gel Paste

Extrudable and injectable for confined spaces. Ideal for smaller, distal extremity applications.

Size

5 cc

10 cc



Cancellous Chips

100% human allograft

ltem No.	Description	Size
MCAN0050	1-4mm	5cc
MCAN0100	1-4mm	10cc
MCAN0150	1-4mm	15cc
MCAN0300	1-4mm	30cc
MCAN1100	4-10mm	10cc
MCAN1150	4-10mm	15cc
MCAN1300	4-10mm	30cc

Ready when you are.

Pre-Hydrated Reconstructive Bioimplants

Pre-hydrated for speed and strength

The patent-pending aqueous calcium chloride solution allows wedges to be stored fully hydrated for immediate use.

- \cdot Eliminates idle time
- \cdot Preserves structural integrity of the graft
- Reduces the likelihood of intra- and postoperative graft crumbling and subsidence

Pre-shaped for stronger performance '

Made of dense cancellous bone, each wedge is pre-shaped to eliminate the time and waste of cutting a bone block.

- · Withstands the physical demands placed on structural grafts
- \cdot Full incorporates and resorbs
- \cdot Removes easily if needed



	Item No.	Description	Size
	MWCT0005	Cotton	5MM
	MWCT0006	Cotton	6MM
	MWCT0007	Cotton	7MM
	MWEV0006	Evans	6MM
	MWEV0008	Evans	8MM
	MWEV0010	Evans	10MM
	MWEV0012	Evans	12MM
	MWUT0012	Utility	12MM

Associated Instrumentation and Implants

Articulating Pin Distractor

Allows you to adjust the correction, while providing unobstructed access to the osteotomy.



Wedge Trials

Allows you to view the correction visually and fluoroscopically before selecting the appropriate size wedge.



Evans and Cotton Plates

Graft spanning options for ancillary fixation. A complete selection of implants is available.



One step ahead.

For more than 50 years, we've been helping healthcare run better as the nation's largest privately held manufacturer and distributor of medical products. We're your strategic partner, empowered to innovate and tailor healthcare solutions that flex with your ever-changing needs. So you're always one step ahead.

To learn more or schedule a case, contact your Medline UNITE Representative or visit medlineunite.com.



Medline Industries, Inc. Three Lakes Drive, Northfield, IL 60093 Medline United States 1-800-MEDLINE (633-5463) medlineunite.com | unite@medline.com

Medline Canada

Follow us f in 🕑 🖽

1-800-396-6996 | medline.ca | canada@medline.com Medline México 01-800-831-0898 | medlinemexico.com | mexico@medline.com

Musculoskelet Disord, 2013, 14(59): p. 1-10. **2.** Arner, J.W. and R.D. Santrock, A historical review of common bone graft materials in foot and ankle surgery. Foot Ankle Spec, 2014. 7(2): p. 143-51. **3.** Fitzgibbons, T.C., et al., Bone grafting in surgery about the foot and ankle, indication and techniques. J Am Acad Orthop Surg, 2011. 19(2): p. 112-20. **4.** Haddad, S.L., et al., Intermediate and long-term outcomes of total ankle arthroplasty and ankle arthrodesis. A systematic review of the literature. J Bone Joint Surg Am, 2007. 89(9): p. 1899-905. **5.** Tricot, M., et al., Clinical assessment of 115 cases of hindfoot fusion with two different types of graft: Allograft + DBM + bone marrow aspirate versus autograft + DBM. Orthopaedics & Traumatology: Surgery & Research, 2017(103): p. 697-702. **6.** Frey, C., et al., A review of ankle arthrodesis: predisposing factors to nonunion. Foot Ankle Int, 1994. 15(11): p. 581-4.

ACTIGLASS Synthetic Bioactive Putty is manufactured by Bioventus LLC, Durham, NC., ACTISTIM Demineralized Fiber Putty and Cortical Fibers are manufactured by DCI Donor Services, Nashville, TN., ACTIVI Fiber Viable Bone Matrix is manufactured by Aziyo Biologics, Inc., Richmond, CA. Some products may not be available for sale in Mexico or Canada. We reserve the right to correct any errors that may occur within this brochure. © 2019 Medline Industries, Inc. All rights reserved. Medline is a registered trademark of Medline